



DIM.	TOL
5mm DOWN	±0.2
5~20mm	±0.3
20~40mm	±0.4
40~60mm	±0.5
60~100mm	±0.8
100mm UP	±1.0



REVISIONS			
REV	DESCRIPTION	DATE	BY



PART NO.	COLOR
MCC-1	BLACK
MCC-1(N)	NATURAL
MCC-1(W)	WHITE

Component - Plastic

E4193E

E I DUPONT DE NEMOURS & CO INC
 ENGINEERING POLYMERS, CHESTNUT RUN PLAZA, PO BOX 80710, WILMINGTON DE 19880
 101(r9)(f1), 101F(r9)(f1), 401L(r9)(f1), E101(r9)(f1), E101L(r9)(f1)
 Polyamide 66 (PA66), "Zytel", furnished as pellets

Color	Min Thk (mm)	Flame Class	HWI	HAI	RTI Elec	RTI Imp	RTI Str
ALL	0.71	V-2	4	0	130	75	85
	1.5	V-2	3	0	130	75	85
	3.0	V-2	2	0	130	75	85
	6.0	V-2	2	0	130	75	85

Compressive Tracking Index (CTI): 0
 Dielectric Strength (kV/cm): 13
 High-Voltage Arc Tracking Rate (HVTR): 0
 Dimensional Stability (%): -
 (F1) - Suitable for outdoor use with respect to exposure to ultraviolet light, water exposure and immersion in accordance with UL 746C.
 Inclined Plane Tracking (IPT): -
 Volume Resistivity (10¹² ohm-cm): 14
 High Volt, Low Current Arc Tests (D489): 0

NOTE - (1) Material designations that are color pigmented may be followed by suffix letters and numbers. (2) Material designations may be prefixed by "ZYT" for Zytel or "MBN" for Minlon or "DEL" for Delrin or "CRA" for Crestin or "RYN" for Rynite or "ETPV" for ETPV grades.
 75 - Virgin and regranul up to 50% by weight inclusion, have the same basic material characteristics for ALL colors down to 0.7mm. For thickness 0.40mm to 0.70mm the same basic material characteristics exist with the exception of generic RTI6 for all properties and HgFid exceeding 25% is limited to V-2 Flammability for WT, RD, BK.
 ANSUL 94 small-scale test data does not pertain to building materials, furnishings and related materials. ANSUL 94 small-scale test data is intended solely for determining the flammability of plastic materials used in the components and parts of end-product devices and appliances, where the acceptability of the combination is determined by UL.

Report Date: 1990-07-29
 Last Revised: 2010-07-27

© 2011 the duponts Laboratories Inc.



 康揚企業股份有限公司 KANG YANG HARDWARE ENTERPRISE CO., LTD. 康揚塑膠(東莞)有限公司 KANG YANG PLASTIC(DONG GUAN) CO., LTD. 康哲電腦配件(吳江)有限公司 KANG CHE COMPUTER COMPONENTS(WUJIANG) CO., LTD.	TITLE		FAN SNAP RIVET		SPEC. DWG.		
	MATERIAL		NYLON 66 UL94V-2		DATE		2000.03.22
	FINISH				DRAWN		JASON
	COLOR		SEE ABOVE		CHECK		
PART NUMBER		DRAWING NUMBER		UNLESS OTHERWISE SPECIFIED TOLERANCE		APPROVED	
SEE ABOVE		MCC-1H		SEE ABOVE		Kang	
SIZE	SCALE	UNIT	REV	TOLERANCE			
A4	5:1	mm	B	SEE ABOVE			